

Clifton Cameras Product Specification

Nikon Nikkor Z 28mm f2.8 Lens Full Spec

Model		NIKKOR Z 28mm f/2.8
Mount		Nikon Z mount
Focal length		28 mm
Maximum aperture		f/2.8
Lens construction		9 elements in 8 groups (including 2 aspherical lens elements)
Angle of view		75° (Nikon FX format) 53° (Nikon DX format)
		53° (Nikon DX format)
Focusing system		Multi-focusing system, Internal Focusing (IF) system
Vibration reduction mechanism (lens-shift system w/ voice coil motor)	Vibration reduction (VR)	No (achieved with in-camera image sensor shift VR)
	When a tripod is used	No
Diaphragm blades		7 (rounded diaphragm opening)
Aperture system		Automatic aperture with electromagnetic diaphragm mechanism
Aperture range		f/2.8 - 16
Minimum focus distance		0.19 m (0.63 ft) from focal plane
Maximum reproduction ratio		0.2×
Weight		Approx. 155 g (5.5 oz)
Maximum diameter x length (distance to end of lens from camera lens mount flange)		Approx. 70 mm (2.8 in.) x 43 mm (1.7 in.) (based on CIPA Guidelines)
Filter-attachment size		52 mm
Colour		Black
AF drive motor		STM (stepping motor)
Nano Crystal Coat		No
ARNEO Coat		No
Focus-mode switch		No
Front lens cap		LC-52B Lens Cap (Front Cap) (Supplied)
Rear lens cap		LF-N1 Lens Cap (Rear Cap) (supplied)
Lens case		CL-C4 Lens Case (optional)
Circular Polarizing	Lens only	✓



Filter II compatibility	With hood	-	
Remarks		This lens does not have a compatible lens hood (neither supplied nor optional)	