

## Canon RF-S 14-30mm f/4-6.3 IS STM PZ Specification

[Canon RF-S 14-30mm f/4-6.3 IS STM PZ](#)

OPTICAL FEATURES/SPECIFICATIONS	
Image size	APS-C
35mm film equivalent focal length (mm)	22.4-48mm
Angle of view (horzntl, vertl, diagnl)	78°05' - 41°25' 56°40' - 28°15' 88°30' - 48°50'
Lens construction (elements/groups)	10/9
Special optics	2x Pmo aspherical 1x UD
Special features	Internal Power Zoom
No. of diaphragm blades	7
Minimum aperture	22-36
Closest focusing distance (m)	0.15
Maximum magnification (x)	0.38
Control Ring	Combined / focus
Image stabiliser OIS <sub>1</sub>	5
Image stabilizer IBIS x OIS <sub>1</sub>	Centre: 7.5 Corner: 5.5
AF actuator	STM
Coatings	Super Spectra
Fluorine	No
PHYSICAL SPECIFICATIONS	
Dust/moisture resistance	No
Filter diameter (mm)	58
Max. diameter x length (mm) <sup>2</sup>	69.6 x 62
Weight (g)	181
ACCESSORIES	
Lens cap	E-58II
Lens hood	EW-63C
Lens case/pouch	LP1014
Rear cap	Lens Dust Cap RF
Extender Compatibility	Not compatible
Footnotes:	[1] Tested under CIPA standards / CIPA-2024 standard (in the yaw/pitch directions at maximum

	focal length, with a specific camera)
	[2] Lens dimensions when in retracted state