

Clifton Cameras Product Specification

Nikon NIKKOR Z 40mm f/2

Specifications

Mount	Nikon Z mount	
Focal length	40 mm	
Maximum aperture	f/2	
Lens construction	6 elements in 4 groups (including 2 aspherical lens elements)	
Angle of view	57° (Nikon FX format) 38° 50' (Nikon DX format)	
Focusing system	Internal Focusing (IF) system	
Vibration reduction	Vibration reduction (VR)	No (achieved with in-camera image sensor shift VR)
	When a tripod is used	No
Diaphragm blades	9 (rounded diaphragm opening)	
Aperture system	Automatic aperture with electromagnetic diaphragm mechanism	
Aperture range	f/2 - 16	
Minimum focus distance	0.29 m (0.96 ft) from focal plane	
Maximum reproduction ratio	0.17×	
Weight	Approx. 170 g (6 oz)	
Maximum diameter x length	Approx. 70 mm (2.8 in.) x 45.5 mm (1.8 in.) (based on CIPA Guidelines)	
Filter-attachment size	52 mm	
Colour	Black	
AF drive motor	STM (stepping motor)	
Nano Crystal Coat	No	
ARNEO Coat	No	
Focus-mode switch	No	
Front lens cap	LC-52B Lens Cap (Front Cap) (Supplied)	
Rear lens cap	LF-N1 Lens Cap (Rear Cap) (Supplied)	
Lens case	CL-C4 Lens Case (optional)	



Circular Polarizing Filter II compatibility Lens only ✓

Lens Hood "This lens does not have a compatible lens hood (neither supplied nor optional)"